L Number	Hits	Search Text	DB	Time stamp
-	18	(assign near instruction) same buffer same	USPAT;	2004/10/21
		((execution adj unit) OR processor)	EPO; JPO; DERWENT;	10:49
-	78	(assign near instruction) and (out\$1of\$1order)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:20
-	14	((assign near instruction) and (out\$1of\$1order)) and (plurality near2 buffers)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:23
-	3	(((assign near instruction) and (out\$1of\$1order)) and (plurality near2 buffers)) and task	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:23
-	0	(task adj window) same number same instruction	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:24
-	8	(task adj window) same instruction	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:24
-	8	(task adj window) same instruction	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 17:24
-	8	(US-6105128-\$ or US-6192464-\$ or US-6092176-\$ or US-6289433-\$ or US-6360309-\$ or US-5185871-\$ or US-5974240-\$ or US-5974526-\$).did.	USPAT	2003/10/24 13:42
-	7	((US-6105128-\$ or US-6192464-\$ or US-6092176-\$ or US-6289433-\$ or US-6360309-\$ or US-5185871-\$ or US-5974240-\$ or US-5974526-\$).did.) and dependenc\$3	USPAT	2003/10/24 13:42
-	0	(((US-6105128-\$ or US-6192464-\$ or US-6092176-\$ or US-6289433-\$ or US-6360309-\$ or US-5185871-\$ or US-5974240-\$ or US-5974526-\$).did.) and (data adj dependenc\$3)) and (control adj dependenc\$3)	USPAT	2003/10/24 13:45
	6	((US-6105128-\$ or US-6192464-\$ or US-6092176-\$ or US-6289433-\$ or US-6360309-\$ or US-5185871-\$ or US-5974240-\$ or US-5974526-\$).did.) and (data adj dependenc\$3)	USPAT	2003/10/24 13:46
-	5	(((US-6105128-\$ or US-6192464-\$ or US-6092176-\$ or US-6289433-\$ or US-6360309-\$ or US-5185871-\$ or US-5974240-\$ or US-5974526-\$).did.) and (data adj dependenc\$3)) and sequence	USPAT	2003/10/24 13:46

-	3	(((US-6105128-\$ or US-6192464-\$ or	USPAT	2003/10/24
		US-6092176-\$ or US-6289433-\$ or		13:49
-		US-6360309-\$ or US-5185871-\$ or		
		US-5974240-\$ or US-5974526-\$).did.) and		
		(data adj dependenc\$3)) and (instruction adj		
		sequence)		
-	, 2	(((US-6105128-\$ or US-6192464-\$ or	USPAT	2003/10/24
		US-6092176-\$ or US-6289433-\$ or	-	13:49
		US-6360309-\$ or US-5185871-\$ or		
		US-5974240-\$ or US-5974526-\$).did.) and		
		(data adj dependenc\$3)) and (instruction near2		
	_	number)	LICDAT.	2002/10/24
-	2	5491829.pn.	USPAT;	2003/10/24
			EPO; JPO;	13:52
			DERWENT;	
_	1	5491829.pn. and (data adj dependenc\$3)	IBM_TDB USPAT;	2003/10/24
	_	3491029.pm. and (data adj dependenc\$3)	EPO; JPO;	13:52
			DERWENT;	13.32
			IBM_TDB	, v
-	9	(US-6105128-\$ or US-6192464-\$ or	USPAT	2003/10/24
		US-6092176-\$ or US-6289433-\$ or	031711	13:55
	3.	US-6360309-\$ or US-5185871-\$ or		13.55
		US-5974240-\$ or US-5974526-\$ or	*	
		US-5491829-\$).did.	-	
_	5	((US-6105128-\$ or US-6192464-\$ or	USPAT	2003/10/24
		US-6092176-\$ or US-6289433-\$ or		13:55
		US-6360309-\$ or US-5185871-\$ or		
		US-5974240-\$ or US-5974526-\$ or		
		US-5491829-\$).did.) and (instruction near3		
		number)		
-	1	(data adj dependenc\$3) and buffer and	JPO	2003/10/27
		((identification OR instruction) adj number)		13:36
-	0	2001092657.URPN.	USPAT	2003/10/27
				13:35
-	1	(data adj dependenc\$3) and buffer and	EPO; JPO	2003/10/27
]		((identification OR instruction) adj number)		13:36
-	387	(instruction near sequence) same (order OR	USPAT;	2003/10/27
		number) and (data adj dependenc\$3) and	EPO; JPO;	16:17
*		register	DERWENT;	
	10	//instruction non	IBM_TDB	2002/40/27
_	10	((instruction near sequence) same (order OR	USPAT;	2003/10/27
		number) and (data adj dependenc\$3) and register) and (assign near4 buffer)	EPO; JPO;	15:35
		register) and (assign near4 buffer)	DERWENT; IBM_TDB	
_	12	(US-5778245-\$ or US-5881308-\$ or	USPAT	2003/10/27
	12	US-6289433-\$ or US-6092176-\$ or	USFAI	15:59
		US-5974526-\$ or US-5491829-\$ or		15.55
		US-6360309-\$ or US-6105128-\$ or		
		US-6192464-\$ or US-5933618-\$ or		
		US-5974240-\$ or US-5185871-\$).did.		
_	О	((US-5778245-\$ or US-5881308-\$ or	USPAT	2003/10/27
		US-6289433-\$ or US-6092176-\$ or	•	16:00
		US-5974526-\$ or US-5491829-\$ or		
		US-6360309-\$ or US-6105128-\$ or		
		US-6192464-\$ or US-5933618-\$ or		
		US-5974240-\$ or US-5185871-\$).did.) and		
		((number OR order) near2 generator)		

-	109	instruction with ((number OR order) near2	USPAT	2003/10/27
		generator)		16:00
-	5	(instruction with ((number OR order) near2	USPAT	2003/10/27
		generator)) and (data adj dependenc\$3) and buffers		16:00
-	9	(instruction with ((number OR order) near3	USPAT;	2003/10/27
		generator)) and (data adj dependenc\$3) and buffers	EPO; JPO; DERWENT;	16:01
		(#F0F4 206# #F204 F24# #F400F70#	IBM_TDB	
-	6	("5251306" "5381531" "5488729" "5511172" "5684971" "5699537").PN.	USPAT	2003/10/27 16:04
-	93	((instruction near sequence) same (order OR	USPAT;	2003/10/27
		number) and (data adj dependenc\$3) and	EPO; JPO;	16:17
		register) and speculative and non\$1speculative	DERWENT; IBM_TDB	
_	91	(((instruction near sequence) same (order OR	USPAT;	2003/10/27
		number) and (data adj dependenc\$3) and	EPO; JPO;	16:17
		register) and speculative and non\$1speculative)	DERWENT;	
		and buffer	IBM_TDB	
-	12	((((instruction near sequence) same (order OR	USPAT;	2003/10/27
		number) and (data adj dependenc\$3) and	EPO; JPO;	16:18
		register) and speculative and non\$1speculative)	DERWENT;	
		and buffer) and (assign with buffer)	IBM_TDB	2004/20/45
_	165	717/149.ccls.	USPAT;	2004/09/16
			US-PGPUB;	17:46
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	7	717/149.ccls. and ((instruction OR data) same	USPAT;	2004/09/16
	,	dependen\$4 same mov\$3)	US-PGPUB;	17:50
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
		,	DERWENT;	
	1		IBM_TDB	
_	38	717/149.ccls. and (program with schedul\$4)	USPAT;	2004/09/16
		*	US-PGPUB;	17:50
			EPO; JPO;	Y
	· · ·		DERWENT;	
_	5	(717/149.ccls. and (program with schedul\$4))	IBM_TDB USPAT;	2004/09/16
		and speculativ\$4	US-PGPUB;	17:53
		and Speculatives	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	189	multi\$1process\$6 and buffers and condition and	USPAT;	2004/09/16
		(data adj dependenc\$3) and speculativ\$6	US-PGPUB;	17:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	184	(multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	-17:54
		and register	EPO; JPO; DERWENT;	
			IBM_TDB	
_	184	((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	17:54
		and register) and \$4speculativ\$6	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	(((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	17:56
	1	and register) and \$4speculativ\$6) and commit	EPO; JPO;	
		adj instruction	DERWENT;	
			IBM_TDB	•
-	67	(((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	17:58
		and register) and \$4speculativ\$6) and commit	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	((((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	17:59
		and register) and \$4speculativ\$6) and commit)	EPO; JPO;	
		and (speculat\$6 with dependenc\$3)	DERWENT;	
			IBM_TDB	
-	43	((((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	18:03
		and register) and \$4speculativ\$6) and commit)	EPO; JPO;	
		and (out\$1of\$1order)	DERWENT;	
		· ·	IBM_TDB	
-	12	(((((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	18:04
		and register) and \$4speculativ\$6) and commit)	EPO; JPO;	
		and (out\$1of\$1order)) and (speculat\$6 with	DERWENT;	
		dependenc\$3)	IBM_TDB	
- ,	43	((((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/16
		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	18:04
		and register) and \$4speculativ\$6) and commit)	EPO; JPO;	
		and ((out\$1of\$1order) OR (out adj of adj	DERWENT;	
		order))	IBM_TDB	
_	12	(((((multi\$1process\$6 and buffers and condition	USPAT;	2004/09/19
1		and (data adj dependenc\$3) and speculativ\$6)	US-PGPUB;	13:07
'		and register) and \$4speculativ\$6) and commit)	EPO; JPO;	
		and ((out\$1of\$1order) OR (out adj of adj	DERWENT;	
		order))) and (speculat\$6 with dependenc\$3)	IBM_TDB	
_	137	((out\$1of\$1order) OR (out adj of adj order))	USPAT;	2004/09/19
	,	same (speculat\$6 same dependenc\$3)	US-PGPUB;	13:08
		(EPO; JPO;	
		,	DERWENT;	
		·	IBM_TDB	
_	103	(((out\$1of\$1order) OR (out adj of adj order))	USPAT;	2004/09/19
		same (speculat\$6 same dependenc\$3)) and	US-PGPUB;	13:09
_		buffers and (parallel OR multi\$process\$3)	EPO; JPO;	_0.05
		(parano. or manaprocessys)	DERWENT;	
_ [IBM_TDB	
_	93	((((out\$1of\$1order) OR (out adj of adj order))	USPAT;	2004/09/19
	55	same (speculat\$6 same dependenc\$3)) and	US-PGPUB;	13:09
İ		buffers and (parallel OR multi\$process\$3)) and	EPO; JPO;	13.03
		condition	DERWENT;	
		Condition	_IBM_TDB	
_	7	((((out\$1of\$1order) OR (out adj of adj order))	USPAT;	2004/09/19
	'	same (speculat\$6 same dependenc\$3)) and	US-PGPUB;	14:21
ĺ		buffers and (parallel OR multi\$process\$3)) and	EPO; JPO;	*T.CI
		condition with loop	DERWENT;	
	90	condition with 100p	IBM_TDB	
			מטו_ויוטנ	

	-			
-	0	717/61.ccls.	USPAT;	2004/09/19
			US-PGPUB;	14:22
			EPO; JPO;	
		4	DERWENT;	
			IBM_TDB	
-	83	717/161.ccls.	USPAT;	2004/09/19
			US-PGPUB;	14:22
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
_	25	717/161.ccls. and speculative\$2	USPAT;	2004/09/19
	25	717/101.ccis. and speculatives2	US-PGPUB;	14:32
			EPO; JPO;	14.32
			, , , , ,	
			DERWENT;	
	10	(717/1C1 colo and annual-bi d2) and	IBM_TDB	2004/00/40
_	18	(717/161.ccls. and speculative\$2) and	USPAT;	2004/09/19
		dependenc\$3	US-PGPUB;	14:33
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	((717/161.ccls. and speculative\$2) and	USPAT;	2004/09/19
		dependenc\$3) and (speculative\$3 with mov\$3)	US-PGPUB;	14:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((717/161.ccls. and speculative\$2) and	USPAT;	2004/09/19
		dependenc\$3) and (speculative\$3 with	US-PGPUB;	14:37
		non\$1speculative\$4)	EPO; JPO;	
		T.	DERWENT;	
			IBM_TDB	
-	2	((717/161.ccls. and speculative\$2) and	USPAT;	2004/09/19
		dependenc\$3) and (speculative\$3 with motion)	US-PGPUB;	14:36
		(======================================	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	238	(speculative\$3 with (motion OR mov\$3))	USPAT;	2004/09/19
		(US-PGPUB;	14:36
			EPO; JPO;	11.50
		ac .	DERWENT;	
			IBM TDB	
-	53	((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/19
		compiler and flag and buffer and register	US-PGPUB;	14:40
		compiler and hag and buller and register	EPO; JPO;	14.40
			DERWENT;	
]_	7	///cnoculatived2 with (motion OB move2))) ====	IBM_TDB	2004/00/10
-	/	(((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/19
		compiler and flag and buffer and register) and	US-PGPUB;	14:41
'		(parallel OR (multi\$1process\$3)) and VLIW	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	22	(((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/19
		compiler and flag and buffer and register) and	US-PGPUB;	14:44
		(condition with instruction with accept\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	0	((((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/19	
		compiler and flag and buffer and register) and	US-PGPUB;	14:41	
		(condition with instruction with accept\$3)) and	EPO; JPO;		
		(parallel OR (multi\$1process\$3)) and VLIW	DERWENT;		
			IBM_TDB		
_	22	((((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/19	
		compiler and flag and buffer and register) and	US-PGPUB;	14:41	
			EPO; JPO;	14.41	
		(condition with instruction with accept\$3)) and			- 1
		(parallel OR (multi\$1process\$3))	DERWENT;	•	
	_		IBM_TDB		
-	0	(((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/22	
	0	compiler and flag and buffer and register) and	US-PGPUB;	15:02	
•		(condition with instruction with reject\$4)	EPO; JPO;		
			DERWENT;		
			IBM_TDB		İ
_	2	5694577.pn.	USPAT;	2004/09/22	
ļ			EPO; JPO;	13:45	
			DERWENT;	13.13	
		///	IBM_TDB	2004/00/22	
-	44	(((-)	USPAT;	2004/09/22	
		compiler and flag and execution and register)	US-PGPUB;	15:03	
		and (reject\$4 OR accept\$4)	EPO; JPO;		ŀ
			DERWENT;		
		·	IBM_TDB	0.	
-	7	((((speculative\$3 with (motion OR mov\$3))) and	USPAT;	2004/09/22	
		compiler and flag and execution and register)	US-PGPUB;	15:31	
		and (reject\$4 OR accept\$4)) and (production OR	EPO; JPO;		
		consumption)	DERWENT;		
		Consumption)	IBM_TDB		
	4	717/161 colc. and becett?		2004/10/20	- 1
_	1	717/161.ccls. and boost\$3	USPAT;	2004/10/20	
			US-PGPUB;	15:57	
			EPO; JPO;		
			DERWENT;		1
	•		IBM_TDB		
-	0	717/161.ccls. and (branch with accepted with	USPAT;	2004/10/20	ĺ
		rejected)	US-PGPUB;	15:57	
			EPO; JPO;		
			DERWENT;		
		•	IBM_TDB		- 1
_	0	717/161.ccls. and (branch with (accepted with	USPAT;	2004/10/20	
		rejected))	US-PGPUB;	15:57	
	,		EPO; JPO;	13.37	
			DERWENT;		
			IBM_TDB	2004/40/20	
-	53	717/161.ccls. and (branch)	USPAT;	2004/10/20	
			US-PGPUB;	15:57	
			EPO; JPO;		
			DERWENT;		
	}		IBM_TDB	*	
, <u>=</u>	23	(717/161.ccls. and (branch)) and speculativ\$4	_USPAT;	_2004/10/20	_,
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	15:58	
			EPO; JPO;		
			DERWENT;		
	1		· ·		
			IBM_TDB	L	

-	23	((717/161.ccls. and (branch)) and speculativ\$4)	USPAT;	2004/10/20
		and (identifier OR tag OR number)	US-PGPUB;	16:01
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	((717/161.ccls. and (branch)) and speculativ\$4)	USPAT;	2004/10/20
	0		1	
		and (identifier OR tag OR number) and ((accept	US-PGPUB;	16:01
		OR reject) near2 condition)	EPO; JPO;	
			DERWENT;	
*			IBM_TDB	
-	0	((717/161.ccls. and (branch)) and speculativ\$4)	USPAT;	2004/10/20
		and (identifier OR tag OR number) and	US-PGPUB;	16:01
		((accept\$4 OR reject\$4) near2 condition)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	О	((717/161.ccls. and (branch)) and speculativ\$4)	USPAT;	2004/10/20
		and ((accept\$4 OR reject\$4) near2 condition)	US-PGPUB;	16:01
		and ((accepts4 OK rejects4) hearz condition)		10.01
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	1210	717/151-161.ccls.	USPAT;	2004/10/20
1			US-PGPUB;	16:01
			EPO; JPO;	
)		DERWENT;	
	1		IBM_TDB	
-	3	717/151-161.ccls. and (identifier OR tag OR	USPAT;	2004/10/20
		number) and ((accept\$4 OR reject\$4) near2	US-PGPUB;	16:02
	,	condition)	EPO; JPO;	
			DERWENT,	
			IBM_TDB	
	1	717/151-161.ccls. and boosting and (identifier	USPAT;	2004/10/20
	†	OR tag OR (task adj number)) and ((accept\$4	US-PGPUB;	16:04
		OR reject\$5 OR (throw\$1away)) near2	EPO; JPO;	10.04
		condition)	DERWENT;	
			IBM_TDB	
-	83	717/161.ccls.	USPAT;	2004/10/20
		i i	US-PGPUB;	16:04
			EPO; JPO;	
ē			DERWENT;	
			IBM_TDB	*
-	6	717/151-161.ccls. and (task adj number)	USPAT;	2004/10/20
			US-PGPUB;	16:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1220	task adj number	USPAT;	2004/10/20
			US-PGPUB;	16:05
		•	EPO; JPO;	20.00
			DERWENT;	
			IBM_TDB	2004/10/20
-	12	(task adj number) and speculativ\$4 and parallel	USPAT;	2004/10/20
			US-PGPUB;	16:13
			EPO; JPO;	
			DERWENT;	,
·		O .	IBM_TDB	

		t.		
-	2	717/151-161.ccls. and commit and branch and	USPAT;	2004/10/20
		(global adj register) and ((number OR tag OR	US-PGPUB;	16:16
		identifier) near2 instruction)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	717/151-161.ccls. and commit and branch and	USPAT;	2004/10/20
		(global adj register) and ((number OR tag OR	US-PGPUB;	16:16
		identifier) with buffer)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	commit and branch and (global adj register) and	USPAT;	2004/10/20
		((number OR tag OR identifier) with buffer)	US-PGPUB;	16:29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	717/151-161.ccls. and (replac\$3 near2	USPAT;	2004/10/20
		condition)	US-PGPUB;	16:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	parallel and speculative\$2 and (condition same	USPAT;	2004/10/20
		accepted same rejected)	US-PGPUB;	16:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	_
-	4	boosting and (condition same accepted same	USPAT;	2004/10/20
		rejected)	US-PGPUB;	16:27
			EPO; JPO;	
			DERWENT;	
	107	1	IBM_TDB	2004/40/20
-	187	boosting and (condition same accepted)	USPAT;	2004/10/20
			US-PGPUB;	16:28
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	124	 boosting and (condition with accepted)	USPAT;	2004/10/20
-	124	boosting and (condition with accepted)	US-PGPUB;	16:28
			EPO; JPO;	10.20
			DERWENT;	
			IBM_TDB	
_	124	boosting and (condition with accepted)(boosting	USPAT;	2004/10/20
		and (condition with accepted)) and rejected	US-PGPUB;	16:28
		and (and rejuded	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(boosting and (condition with accepted)) and	USPAT;	2004/10/20
		rejected	US-PGPUB;	16:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10727	712.clas.	USPAT;	2004/10/20
			US-PGPUB;	16:28
			EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	

-	1	712.clas. and commit and branch and (global adj register) and ((number OR tag OR identifier)	USPAT; US-PGPUB;	2004/10/20 16:29
		with buffer)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	712.clas. and commit and branch and (global	USPAT;	2004/10/20
		adj register) and ((number OR tag OR identifier)	US-PGPUB;	16:30
		with buffer)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	141	712.clas. and ((replac\$3 OR substitut\$4) near4	USPAT;	2004/10/20
		condition)	US-PGPUB;	16:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	(712.clas. and ((replac\$3 OR substitut\$4) near4	USPAT;	2004/10/20
		condition)) and speculative\$3	US-PGPUB;	16:32
			EPO; JPO;	ĺ
		*	DERWENT;	
			IBM_TDB	
-	95	branch with results with accept\$4	USPAT;	2004/10/21
			EPO; JPO;	10:50
			DERWENT;	
			IBM_TDB	
-	9144	(branch with results with accept\$4) and	USPAT;	2004/10/21
		717.clas. OR 712.clas.	EPO; JPO;	10:50
			DERWENT;	
·			IBM_TDB	
-	8	(branch with results with accept\$4) and	USPAT;	2004/10/21
		(717.clas. OR 712.clas.)	EPO; JPO;	11:51
			DERWENT;	
			IBM_TDB	
-	980	branch with result with set	USPAT;	2004/10/21
		·	EPO; JPO;	10:51
			DERWENT;	'
		<u></u>	IBM_TDB	
	304	(branch with result with set) and (717.clas. OR	USPAT;	2004/10/21
		712.clas.)	EPO; JPO;	10:51
			DERWENT;	
		When the with we to the second	IBM_TDB	2004/10/21
_	80	((branch with result with set) and (717.clas. OR	USPAT;	2004/10/21
		712.clas.)) and speculative\$3	EPO; JPO;	10:52
			DERWENT;	
	00	///hunnah with magailt with anti-	IBM_TDB	2004/40/24
-	80	(((branch with result with set) and (717.clas. OR	USPAT;	2004/10/21
		712.clas.)) and speculative\$3) and register	EPO; JPO;	11:50
			DERWENT;	
	4	///(branch with recult with eat) and /717 -la-	IBM_TDB	2004/10/21
-	1	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
	* *-	OR-712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:26
		and accept\$4 and reject\$4	DERWENT;	
	4.0	////hranch with requit with anti-and /717 -la-	IBM_TDB	2004/10/21
-	46	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register) and accept\$4	EPO; JPO;	11:26
		and accepts4	DERWENT;	
L			IBM_TDB	

-	66	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:46
		and (instruction near2 condition\$2)	DERWENT;	· ·
			IBM_TDB	
-,	34	(((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:46
		and (instruction near2 condition\$2)) and window	DERWENT;	
			IBM_TDB	
-	0	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:50
		and throwaway	DERWENT;	
		·	IBM_TDB	
-	0	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:50
		and throw\$1away	DERWENT;	
			IBM_TDB	
_	0	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:50
		and throw adj away	DERWENT;	
			IBM_TDB	
_	0	((((branch with result with set) and (717.clas.	USPAT;	2004/10/21
		OR 712.clas.)) and speculative\$3) and register)	EPO; JPO;	11:50
		and (task adj set)	DERWENT;	
			IBM_TDB	
-	1582	task adj set	USPAT;	2004/10/21
			EPO; JPO;	11:50
			DERWENT;	
			IBM_TDB	
_	74	(task adj set) and (717.clas. OR 712.clas.)	USPAT;	2004/10/21
			EPO; JPO;	12:08
			DERWENT;	
			IBM_TDB	
-	6	((task adj set) and (717.clas. OR 712.clas.)) and	USPAT;	2004/10/21
		speculative\$3	EPO; JPO;	11:53
			DERWENT;	
			IBM_TDB	
-	. 0	((task adj set) and (717.clas. OR 712.clas.)) and	USPAT;	2004/10/21
		(number with corresponding with (buffer OR	EPO; JPO;	11:54
		queue))	DERWENT;	
	!		IBM_TDB	
-	32	((task adj set) and (717.clas. OR 712.clas.)) and	USPAT;	2004/10/21
		(number with (buffer OR queue))	EPO; JPO;	11:54
			DERWENT;	
			IBM_TDB	
-	13397	717.clas. OR 712.clas.	USPAT;	2004/10/21
1		4	EPO; JPO;	12:08
			DERWENT;	
)	IBM_TDB	
-	83	(717.clas. OR 712.clas.) and (accept\$4 near3	USPAT;	2004/10/21
		-conditions)	EPO; JPO;	- 12:09
		·	DERWENT;	
			IBM_TDB	
-	5	((717.clas. OR 712.clas.) and (accept\$4 near3	USPAT;	2004/10/21
		conditions)) and speculative\$2 and register and	EPO; JPO;	12:25
		parallel and buffer	DERWENT;	
			IBM_TDB	

-	3	(717.clas. OR 712.clas.) and (commit adj condition\$2)	USPAT; EPO; JPO; DERWENT;	2004/10/21 12:25
			IBM_TDB	